PATENT COOPERATION TREATY

PCT

REC'D 26 SEP 2005

INTERNATIONAL PRELIMINARY REPORT ON PAINTEABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference P24328PC	FOR FURTHER ACTION See Form PCT/IPEA/416						
International application No.	International filing date (day/month/yea	r) Priority date (day/month/year)					
PCT/NO2004/000227	22.07.2004	24.07.2003					
	L	24.07.2003					
International Patent Classification (IPC) or national classification and IPC C02F 1/20, B01D 19/00, B63B 11/04							
0021 1,20, 5015 13,00	, 2032 11,04						
Applicant							
KNUTSEN OAS SHIPPING	AS et al						
	eliminary examination report, established	by this International Preliminary Examining					
2. This REPORT consists of a total		i					
This report is also accompanied by		o covar anoda					
57							
a. (sent to the applicant	t and to the International Bureau) a total	of 2 sheets, as follows:					
and/or sheets	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
sheets which	supersede earlier sheets, but which this	Authority considers contain an amendment that goes					
	beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.						
b. (sent to the Internati	onal Bureau only) a total of (indicate typ	e and number of electronic carrier(s))					
	, containing a sequence	listing and/or tables related thereto, in electronic					
form only, as indicated Administrative Instru	ed in the Supplemental Box Relating to Suctions).	Sequence Listing (see Section 802 of the					
4. This report contains indications r	elating to the following items:						
	of the report						
Box No. II Priorit	y .						
Box No. III Non-ea	stablishment of opinion with regard to no	velty, inventive step and industrial applicability					
Box No. IV Lack of	of unity of invention						
	ned statement under Article 35(2) with re ability; citations and explanations suppor	gard to novelty, inventive step or industrial					
	n documents cited						
Box No. VII Certain	n defects in the international application						
Box No. VIII Certain							
Date of submission of the demand	Date of com-	pletion of this report					
	Bate of som	protion of and report					
29.03.2005	09.09.	09.09.2005					
Name and mailing address of the IPEA/s							
Patent- och registreringsverket							
Box 5055 S-102 42 STOCKHOLM	Ingrid	Grundfelt / MRo					
Facsimile No. +46 8 667 72 88	Telephone N	No. +46 8 782 25 00					
Form PCT/IPEA/409 (cover sheet) (April 2005)							

International application No.

PCT/NO2004/000227

Box	No. I	Basis of the report					
1.	. With regard to the language, this report is based on:						
	\boxtimes	the international application in the language in which it was filed					
		a translation of the international application into , which is the language of a translation furnished for the purposes of:					
		international search (Rules 12.3(a) and 23.1(b))					
		publication of the international application (Rule 12.4(a))					
		international preliminary examination (Rules 55.2(a) and/or 55.3(a))					
2.	With regard to the elements of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):						
		the international application as originally filed/furnished					
	M	the description:					
		pages 1-7 as originally filed/furn pages* received by this Authority on					
İ		pages* received by this Authority on pages* received by this Authority on					
	\square	the claims:					
İ		2.1.13 (21.14)	ished				
		pages* as amended (together with any statement) under Art					
		pages* 1-2 received by this Authority on 04.08.2005					
		pages* received by this Authority on					
	\boxtimes	the drawings:					
		pages 1-3 as originally filed/furn	ished				
		pages* received by this Authority on					
		pages* received by this Authority on					
		a sequence listing and/or any related table(s) – see Supplemental Box Relating to Sequence Listing.					
3.		The amendments have resulted in the cancellation of:					
		the description, pages					
1		the claims, Nos.					
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
4.		This report has been established as if (some of) the amendments annexed to this report and listed below had made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental E 70.2(c)).					
		the description, pages					
		the claims, Nos.					
		the drawings, sheets/figs					
		the sequence listing (specify):					
		any table(s) related to the sequence listing (specify):					
*	* If item 4 applies, some or all of those sheets may be marked "superseded."						
<u> </u>		TYPE 1400 (D. N. D. (A) 2005)					

International application No.

PCT/NO2004/000227

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims Claims	1-4	YES NO
Inventive step (IS)	Claims Claims	1-4	YES NO
Industrial applicability (IA)	Claims Claims	1-4	YES NO

2. Citations and explanations (Rule 70.7)

Reference is made to the following documents:

- D1) GB-2 171 613-A
- D2) GB-1 531 537-A
- D3) US-6 171 508-B1
- D4) DD-224 223-A1
- D5) WO-02062707-A1

The present invention relates to a device for reducing the oxygen content of seawater for treatment of ballast water in a ballast tank (4) of a ship(1). One aim of the invention is to neutralise organisms in the ballast water. Another aim is that the treatment of the ballast water must be inexpensive in use.

Amongst the documents cited in the search report, document D1 comes closest to the invention according to amended claims of August 4, 2005.

D1 (p.1, line 51-p.2, line 78 and figs.1-4) discloses a method and an apparatus for treating water. Water to be deaerated in a deaeration unit (2) is fed from a pipeline or an open inlet channel (1) through a siphon (2) and an open feed channel (3) to a granular media filter (4). The deaeration unit comprises a riser (5), a cascade (6) and a downcomer (7). Air and/or gas, which are removed in the cascade, is satisfactorily reentrained and carried down in the downcomer (7) provided that the flow velocity in the downcomer exceeds 0.3 metres/sec. The re-entrained air and/or gas rises to the surface in the feed channel (3) and escapes.

.../...

International application No.

PCT/NO2004/000227

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box V

The device in claim 1 differs from what is revealed in D1 in that the downcomer (12) has an upper part that is situated well above the deck of a skip (1), which includes a ballast compartment (4). This feature can be clearly seen on figs.1 and 2. Furthermore, the subject matter of claim 1 differs in that the upper part of the downcomer is directly connected to a pipe (10) for supplying water, and also in that the downcomer's lower part is communicating with the ship's ballast compartment. Hence, the invention is novel.

The problems in connection with treatment plants for ballast water (cf. also the description p.5, line 20-p.7, line 13, fig.1-3 and first paragraph on this Box) to be solved by the present invention are not disclosed in D1. This document does not give any indication that would lead a person skilled in the art to the claimed device. Therefore, the claimed invention is not obvious to a person skilled in the art. Consequently, the invention according to claims 1-4 is considered to involve an inventive step.

The invention in claims 1-4 is considered to be industrially applicable.

Concerning observations in claim 1, see Box VIII.

International application No.

PCT/NO2004/000227

Box No. VIII	Certain observation	ns on the internation	al application
--------------	---------------------	-----------------------	----------------

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

There is a misspelling on line 14 in claim 1. The expression "lover party" is considered to be spelled: lower part.

Form PCT/IPEA/409 (Box No. VIII) (April 2005)

Amended Claims

- 1. A device for reducing the oxygen content of ballast water on a ship (1) where ballast water is introduced into the upper part (14) of a downcomer (12), whereby a pressure drop arises, especially in the upper part (14) of the downcomer (12), facilitating the release of gases from the seawater, the separated gas being able to leave the seawater after flowing through the downcomer (12) together with the seawater,
- 10 c h a r a c t e r i z e d i n that the upper part (14) of the downcomer (12), that is situated well above the ship's (1) deck, is directly connected to a water supply pipe (10), and where the downcomer's (12) lover party is communicating with the ship's (1) ballast compartment (4).
 - 2. A device according to Claim 1, c h a r a c t e r i z e d i n that the upper part (14) of the downcomer (12) communicates with a gas pipe (15), where the gas pipe (15) is arranged to deliver nitrogenous gas to the downcomer (12).
 - 3. A device according to Claim 1,
 c h a r a c t e r i z e d i n that the lower part
 of the downcomer (12) is coupled, preferably in the
 horizontal direction, to the upper part (18) of a
 vertical separating pipe (16), wherein the upper part
 (18) is coupled to an extraction pipe (20) at a slightly
 higher level than that of the point of connection of the
 downcomer (12) to the separating pipe (16).
- 4. A device according to Claim 3,

 c h a r a c t e r i z e d i n that the connection

P24328NC2-04.08.05

5

20

25



between the downcomer (12) and the separating pipe (16) is tangential.